

Product: Córindon Artificial Preto SinterBall Jat/Óxido de Alumínio Sinterizado GRIT

Date of last revision	Number of last revision:	SDS Nº	Page
14/02/2022	1	3	1 of 6

1. Identification

Product identifier: Córindon Artificial Preto SinterBall Jat/Óxido de Alumínio Sinterizado GRIT

Recommended use of the chemical: Blasting Identification

Code: 0004

Supplier's name: MINERAÇÃO CURIMBABA

Address: Rodovia Poços de Caldas/Caldas, Km 10 - Usina Campo do Meio

Complement: Poços de Caldas/MG – Brasil CEP 37701-970

Supplier's phone number: (35) 2107-8000 Emergency phone number: (35) 99839-7449

2. Hazard identification

Classification of the substance or mixture: Chemical not classified as hazardous according to GHS.

Precautionary recommendations: Wash your hands after handling the product. It is recommended to use appropriate PPE when handling the product. Get product information before handling. In case of emergency, proceed as indicated by SDS

Other information: Not available

3. Composition/Information on ingredients

Product Type: Substance

Common chemical name or technical name: Bauxite, calcined **Synonym:** Bauxite, sintered; Bauxite (Al2O3.xH2O), calcined

CAS N°: 92797-42-7

This substance does not contain impurities that contribute to its hazard.

4. First-aid measures

First-aid measures

- **Inhalation:** Remove the victim to fresh air and keep at rest in a comfortable position for breathing. Get medical attention, if symptoms appear. Take this MSDS
- Skin contact: Gently wash the contaminated skin with plenty of water. Wash contaminated clothing
 thoroughly with water before removing it or wear gloves. Wash clothing and shoes before reuse. Get
 medical attention, if symptoms appear. Take this MSDS
- **Eye contact:** Rinse carefully with water for various minutes. Remove contact lenses, if present and easy to do. In case of eye irritation, get medical attention. Take this MSDS
- Ingestion: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse
 mouth with water. If swallowed, consult a doctor. Contact a POISON CENTER or a doctor, if you feel
 unwell.Take this MSDS

Most important symptoms/effects, acute and delayed: Chemical not classified as hazardous according to GHS



Product: Córindon Artificial Preto SinterBall Jat/Óxido de Alumínio Sinterizado GRIT

Date of last revision	Number of last revision:	SDS Nº	Page
14/02/2022	1	3	2 of 6

Indication of immediate medical attention and special treatment: Symptomatic treatment

5. Fire-fighting measures

Suitable extinguishing media: Use water spray, dry chemical, or carbon dioxide

Unsuitable extinguishing media: Do not use direct water jet

Specific hazards arising from the chemical: Non-flammable product. The combustion of the chemical or its containers may form toxic and irritating gases such as carbon monoxide and dioxide

Special protective actions for fire-fighters: Self-contained breathing apparatus (SCBA) and protective equipment is recommended. Containers and tanks involved in the fire should be cooled with water mist

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- **For non-emergency personnel:** Preemptively isolate from ignition sources. Do not smoke. Avoid contact with the product. If necessary, use personal protective equipment as described in section 8
- For emergency responders: Evacuate the area. Wear full protective equipment (safety glasses and gloves, uniform or apron, closed-shoes, and respiratory mask with filters against particulate material).

 Isolate the leakage preventively from ignition sources

Environmental precautions: Prevent entry into waterways, sewers, basements, or confined areas **Methods and materials for containment:** Evacuate the area. Keep away unauthorized personnel. Stop the spill, if it is safe

Area isolation: As an immediate precautionary measure, isolate spill or leak area in all directions, at least, 50 meters (164.02 feet)

Methods and materials for cleaning up: Spilled material can leave the floor slippery. Collect the product with a clean shovel or another instrument that does not disperse the product. Put the material in suitable and previously identified containers and remove them to a safe place. For disposal, proceed according to the local legislation as described in section 13

7. Handling and storage

Precautions for safe handling

- **Prevention of workers exposure:** Handle the product following established safety standards and use the PPE indicated in section 8. Handle in a ventilated area or with a general ventilation/local exhaust system. Avoid formation of particles and mists. Avoid exposure to the product
- **Fire and explosion:** It is not expected that the product to present a fire or explosion hazard. Keep ignition sources away No smoking
- **Precautions for safe handling:** Handle the product according to the established safety rules and use the PPE indicated in section 8. Avoid contact with skin and eyes
- · Hygiene measures
- **Suitable:** Wash hands et al thoroughly after handling and before eating, drinking, or going to the bathroom. Contaminated clothing must be changed and washed before re-use



Product: Córindon Artificial Preto SinterBall Jat/Óxido de Alumínio Sinterizado GRIT

Date of last revision	Number of last revision:	SDS Nº	Page
14/02/2022	1	3	3 of 6

Unsuitable: Eating, drinking or smoking in the workplace

Conditions for safe storage

- Conditions for safe storage: Store in a cool, dry, well-ventilated place at room temperature. Keep container tightly closed. Avoid high temperatures. Ensure the recommended minimum distances between stacks/pallets. Respect the maximum stacking of three pallets or big bags
- Conditions to avoid including incompatibilities: Not known incompatible materials
- Packaging materials
- Suitable: Polypropylene big bags or cardboard bags

• Unsuitable: Not available

Other information: Not available

8. Exposure controls/personal protection

Control parameters

 Occupational exposure limits: No exposure standard allocated according to NOHSC, OSHA, ACGIH, or NIOSH

• Biological indicators values: Not available

Other limits and values: Not available

Appropriate engineering controls: Ensure direct mechanical ventilation and exhaust system to the outside environment. These measures help reducing exposure to the product and maintaining atmospheric concentrations, of the constituents of the product, below indicated occupational exposure limits. Keep an emergency shower and eyewash station near the workplace

Individual protection measures, such as personal protective equipment

- Eye/face protection: Safety glasses with side protection
- Skin protection: Wear protective clothing (uniform or apron) and closed shoes
- **Respiratory protection:** The use respiratory protective mask with a filter against particulate material (e.g. P2 or P3) is recommended
- Hands protection: Wear protective gloves e.g., nitrile rubber, PVC, rubber, or neoprene
- Thermal hazards: It does not present thermal hazards

Other information: Not available

9. Physical and chemical properties

Appearance

Physical state: Solid; Form: Spherical/rounded grains; Color: Black

Odour: Not available

Odour threshold: Not available

pH: Not available



Product: Córindon Artificial Preto SinterBall Jat/Óxido de Alumínio Sinterizado GRIT

Date of last revision	Number of last revision:	SDS Nº	Page
14/02/2022	1	3	4 of 6

Melting point/freezing point: Not available

Initial boiling point: Not available

Boiling range: Not availableFlash point: Not available

Evaporation rate: Not available

Flammability (solid, gas): Non flammable

Lower flammability or explosive limits: Not available
 Upper flammability or explosive limits: Not available

Vapour pressure: Not available
 Vapour density: Not available
 Relative density: Not available

• Solubility(ies): Insoluble in water. Acid solubility: 6.5%

Partition coefficient: n-octanol/water: Not available

Auto-ignition temperature: Not available
 Decomposition temperature: Not available

Viscosity: Not available

• Additional information: Bulk density: 1.75 - 2.15 g/cm3

10. Stability and reactivity

Chemical stability: Product not reactive

Reactivity: Under normal conditions of use, storage and transportation material should be non-reactive

Possibility of hazardous reactions: There are not known hazardous reactions with the product

Conditions to avoid: High temperatures

Incompatible materials: There are not known incompatible materials

Hazardous decomposition products: None known

11. Toxicological information

Acute toxicity: The product has not been classified for this hazard under GHS criteria

Skin corrosion/irritation: The product has not been classified for this hazard under GHS criteria **Serious eye damage/irritation:** The product has not been classified for this hazard under GHS criteria **Respiratory or skin sensitization:** The product has not been classified for this hazard under GHS criteria

Germ cell mutagenicity: The product has not been classified for this hazard under GHS criteria

Carcinogenicity: The product has not been classified for this hazard under GHS criteria

Reproductive toxicity: The product has not been classified for this hazard under GHS criteria

STOT-single exposure: The product has not been classified for this hazard under GHS criteria

STOT-repeated exposure: The product has not been classified for this hazard under GHS criteria

Aspiration hazard: The product has not been classified for this hazard under GHS criteria

Additional information: Not available



Product: Córindon Artificial Preto SinterBall Jat/Óxido de Alumínio Sinterizado GRIT

Date of last revision	Number of last revision:	on: SDS Nº	Page 5 of 6	
14/02/2022	1	3	5 of 6	

12. Ecological information

Toxicity: The product has not been classified for this hazard under GHS criteria. Bauxite, calcined (CAS 92797-42-7) - Fish - LC50 (Scophthalmus maximus juvenile /96h): >100 mg/L. Diatomons - EC50 (Phaeodactylum tricornutum /72h): > 100 mg/L

Persistence and degradability: Due to the absence of data, it is expected that the product presents persistence, and it is not considered rapidly degradable

Bio accumulative potential: Due to the absence of data, it is not expected that the product presents bio accumulative potential in aquatic organisms

Mobility in soil: Solid product, low soil mobility is expected

Other adverse effects: None known

13. Disposal considerations

Disposal methods

- Product: Keep the product remains in its original packing and properly closed. Dispose of contents/container
 in accordance with local/state regulations
- Used package: Do not reuse empty containers. Dispose of in accordance with local/state regulations

14. Transport information

National and international regulations:

Land Transport:

Technical name: BAUXITE, CALCINED

Additional information: The characteristics of the product does not meet the official criteria of dangerous goods

for purposes of transportation.

Additional Regulation: DOT - U.S. DEPARTMENT OF TRANSPORTATION

15. Regulatory information

Safety, health and environmental regulations specific for the product:

- Work Health and Safety (General) Regulations 2022
- National Occupational Health and Safety Commission, 'National Code of Practice for the Control of Workplace Hazardous Substances' [NOHSC:2007(1994)] in Control of Workplace Hazardous Substances: National Model Regulations and National Code of Practice, Australian Government Publishing Service, Canberra, 1994.
- National Occupational Health and Safety Commission, National Code of Practice for Labelling Hazardous Substances and Dangerous Goods in the Workplace [NOHSC:2012(1994)], National Occupational Health and Safety Commission, Canberra, 2002. National Occupational Health and Safety Commission, 'National Model Regulations for the Control of Scheduled Carcinogenic Substances [NOHSC:1011(1995)]', in Control of Workplace Hazardous Substances Part 2 Scheduled Carcinogenic Substances: National Model Regulations and National Code of Practice, Australian Government Publishing Service, Canberra, 1995.



Product: Córindon Artificial Preto SinterBall Jat/Óxido de Alumínio Sinterizado GRIT

Date of last revision	Number of last revision:	SDS Nº	Page		
14/02/2022	1	3	6	of	6

System of Classification and Labelling of Chemicals 7 (GHS7)

16. Other information

Other information that does not belong in other sections:

This Safety Data Sheet (SDS) has been prepared based on current knowledge about chemicals and provides information about protection, safety, health and environment. It is warned that any chemical handling requires prior knowledge of its hazards by the user. The user company is responsible to promote the training of its employees about the potential product risks.

References: [ECHA] EUROPEAN CHEMICAL AGENCY. Available in: http://echa.europa.eu/

Work Health and Safety (General) Regulations 2022 Available: https://www.safeworkaustralia.gov.au/

[HSNO] NEW ZEALAND HSNO Chemical Classification and Information Database (CCID)

[OSHA] OSHA'S Hazard Communication. Available in: https://www.osha.gov/dsg/hazcom/

[GHS] Globally Harmonized System of Classification and Labelling of Chemicals

ADOPTED NATIONAL EXPOSURE STANDARDS FOR ATMOSPHERIC CONTAMINANTS IN THE OCCUPATIONAL ENVIRONMENT [NOHSC:1003(1995)]

AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIALS HYGIENISTS. TLVs® and BEIs®: Based on the Documentation of the Threshold Limit Values (TLVs®) for Chemical Substances and Physical Agents & Biological Exposure Indices (BEIs®)

Subtitles and abbreviations: ACGIH - American Conference of Governamental Industrial, BCF -

Bioconcentration factor, CAS - Chemical Abstracts Service

DNEL: Derived No-effect Level EC: European Commission

EC50: Effective Concentration 50%

IARC: International Agency for Research on Cancer

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

PBT: Persistent, Bioaccumulative and Toxic PNEC: Predicted No Effect Concentration TWA:

Time Weight Average

vPvB: very Persistent and very Bioaccumulative